



Side Gate Assembly Instructions

Table of Contents

Kit List	3
<i>Side Gate</i>	3
<i>Tools Required</i>	3
<i>Recommended</i>	3
Side Gate	4
<i>Assembly</i>	4
<i>Door Latch</i>	4
<i>Door Lock</i>	4

Kit List

Side Gate

- Hinges and Screws
- Door Latch and Screws
- Posts Complete with End Caps
- Side Gate

Tools Required

- Drill
- Screwdriver
- Hammer

Recommended

- Silicone and Silicone Gun
- Electric Screw Driver or Manual Screw Driver
- Small Flat Head Screw Driver

NOTE: Post caps are to be glued on and left to fully bond after the compost bin has been fully assembled.

Side Gate

Assembly

NOTE: We recommend to Hinge the gate from a firm Wall or Solid Post Position the gate with enough ground clearance to allow for it to swing open and fit the hinges using the screws supplied.

1. Remove old Gate and Posts (unless you are fixing to the existing Posts)
2. Fit the hinge side Post to the wall or Fence from which it is to be hung using screws and or wall plugs (not supplied) make sure the screws are inside one off the 4 slots in the post.
3. Screw the hinges to the Post and adjust until the gate swings freely.
4. Fix the other post to the opposite side in the same manner as the first post
5. Fit the Door latch in the position and side that suits your installation.

Door Latch

1. Position the Door Latch on one of the cross bars see photo below
2. Drill a hole for the square steel bar and screw onto the gate
3. Position the Catch plate and screw into place

Door Lock

1. Position Door lock on cross bar drill a hole for the lock barrel With a fine tooth hole saw for this Drill 1.5mm pilot holes for the screws and fix to the gate and retainer to the post

